



SCYTHE MOWER

With a working width of 87cm / 34" and a powerful Briggs & Stratton engine, the scythe field mower is the ideal mower for long grass, meadows and paddocks. Optional dozer blade is available for snow clearing and moving soil, making the scythe field mower a valuable helper throughout the year.

MODEL AVAILABLE



KEY BENEFITS

- 1 Non clogging universal knife bar with hardened knife blades
- 2 Handle adjustable to suit height of operator
- 3 87cm / 34" cutting width with adjustable skid plates and side bumper
- 4 Pneumatic wheels



Model	BM87-35
Cutting width	87 cm / 34"
Engine	B&S OHV 450 E Series, 125 cc
Rated power [kW/min ⁻¹]	1.7 / 3,100
Drive	Standard
Cutting system	Universal sickle bar with 4 bar guides
Start	Pull
Height adjustment	10 - 30 mm
Handle	Foldable
Fuel capacity	0.8 ltr
Chassis	Steel
Wheels	13" x 5" x 6", pneumatic
Weight (approx.)	53 kg
LpA/LwA/LwAg (dB)	86 / 98 / 99



MOWERS FOR PROFESSIONALS

Built to professional specifications, with shaft driven gear boxes, heavy duty alloy decks, sealed roller bearings and strong handles, the Lawnflite Pro range offers a machine to suit all applications.

For that fine lawn finish, the 448HR and 553HRS roller drive models are single speed with full width steel rollers producing a pronounced stripe on your lawn. They are quiet in operation, have fan assisted collection and a blade brake clutch which means you don't have to re-start the engine when emptying the grassbag. The 553HRS-PROHS sports a high speed gear to make short work of long lawns, 18% faster than the standard model 553HRS.

The top of the range 553HRSP-HST is a hydrostatic roller lawn mower which is 50% faster than the 553HRS-PROHS.

The four models in the wheeled range have all the features and benefits of the Lawnflite Pro roller mowers. The 448HW, 553HWS and 553HWS-PRO have 2 speed shaft drive gearboxes giving selectable speed to suit differing conditions.

The Pro models also offer additional features for the professional user including a front mounted bumper, strong handle tubes of 25mm plus an additional handle support bracket, a steel deck liner and on the wheeled models, 23cm / 9" alloy twin bearing wheels. The 553HWSP-HST has the additional benefit of Hydrostatic drive.

KEY BENEFITS

- 1 Heavy duty alloy decks built for professional use
- 2 Shaft driven gearbox offers extra durability
- 3 Blade brake clutch stops the blade turning when emptying the grass bag
- 4 Roller mower options provide the fine traditional striped finish
- 5 Large heavy duty 70 or 75 litre fabric grass bag enables longer mowing time
- 6 Quiet operation with fan assisted collection
- 7 Mulch kit and deflector available as accessories (71902-218 and 71901-924)



WARRANTY**

*12 months commercial warranty. 2 years for domestic use providing the machine is serviced by the supplying dealer. 90 days when sold and used for hire.



MODELS AVAILABLE



POWERED BY
HONDA
ROLLER
MOWER

Model	553HRS
Cutting width	53 cm / 21"
Engine	Honda
Rated power (kW/ min ⁻¹)	3.4 / 3,600
Drive	Self propelled
Speed (km/h)	3.9
Deck material	Alloy
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Folding bolted
Grass bag (approx.)	75 ltr
Mulch kit	Optional - 71902-218
Deflector	Optional rear - 71901-924
Wheels (f/r)	200 mm
Cutting height	15-77 mm
Weight (approx.)	56 kg
Vib. value body	2.4 m/s ²

POWERED BY
HONDA
ROLLER
MOWER
HIGH
SPEED

Model	553HRS-PROHS
Cutting width	53 cm / 21"
Engine	Honda
Rated power (kW/ min ⁻¹)	3.4 / 3,600
Drive	Self propelled
Speed (km/h)	4.6
Deck material	Alloy with steel deck liner
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Strengthened, folding bolted
Grass bag (approx.)	75 ltr
Mulch kit	Optional - 71902-218
Deflector	Optional rear - 71901-924
Wheels (f/r)	200 mm
Cutting height	15-77 mm
Weight (approx.)	58 kg
Vib. value body	2.4 m/s ²

MODELS AVAILABLE



POWERED BY
HONDA
ROLLER
MOWER

Model	448HR
Cutting width	48 cm / 19"
Engine	Honda
Rated power (kW/ min ⁻¹)	3.7 / 3,600
Drive	Self propelled
Speed (km/h)	3.9
Deck material	Alloy
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Folding wing nut
Grass bag (approx.)	70 ltr
Mulch kit	N/A
Deflector	N/A
Wheels (f/r)	200 mm
Cutting height	15-77 mm
Weight (approx.)	50 kg
Vib. value body	2.2 m/s ²

POWERED BY
HONDA
ROLLER
MOWER

Model	553HRSP-HST
Cutting width	53 cm / 21"
Engine	Honda
Rated power (kW/ min ⁻¹)	3.4 / 3,600
Drive	Hydrostatic
Speed (km/h)	0 - 6.5
Deck material	Alloy with steel deck liner
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Strengthened, folding bolted
Grass bag (approx.)	75 ltr
Mulch kit	N/A
Deflector	N/A
Wheels (f/r)	200 mm
Cutting height	15-77 mm
Weight (approx.)	66 kg
Vib. value body	2.4 m/s ²

MODELS AVAILABLE



POWERED BY
HONDA
POWER DRIVE

Model	448HW
Cutting width	48 cm / 19"
Engine	Honda
Rated power (kW/min ⁻¹)	3.7 / 3,600
Drive	Self propelled, 2 speed
Speed (km/h)	3.9
Deck material	Alloy
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Folding wing nut
Grass bag (approx.)	70 ltr
Mulch kit	N/A
Deflector	N/A
Wheels (f/r)	200 mm / 200 mm
Cutting height	15-77 mm
Weight (approx.)	50 kg
Vib. value body	2.2 m/s ²

MODELS AVAILABLE



POWERED BY
HONDA
POWER DRIVE

Model	553HWS-PRO
Cutting width	53 cm / 21"
Engine	Honda
Rated power (kW/min ⁻¹)	3.4 / 3,600
Drive	Self propelled, 2 speed
Speed (km/h)	3.9
Deck material	Alloy with steel deck liner
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Strengthened, folding bolted
Grass bag (approx.)	75 ltr
Mulch kit	Optional - 71902-218
Deflector	Optional rear - 71901-924
Wheels (f/r)	230 mm / 230 mm
Cutting height	22-82 mm
Weight (approx.)	62 kg
Vib. value body	2.4 m/s ²



POWERED BY
HONDA
POWER DRIVE

Model	553HWS
Cutting width	53 cm / 21"
Engine	Honda
Rated power (kW/min ⁻¹)	3.4 / 3,600
Drive	Self propelled, 2 speed
Speed (km/h)	3.9
Deck material	Alloy
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Folding bolted
Grass bag (approx.)	75 ltr
Mulch kit	Optional - 71902-218
Deflector	Optional rear kit - 71901-924
Wheels (f/r)	200 mm / 200 mm
Cutting height	15-77 mm
Weight (approx.)	56 kg
Vib. value body	2.4 m/s ²



POWERED BY
HONDA
POWER DRIVE

Model	553HWS-PRO
Cutting width	53 cm / 21"
Engine	Honda
Rated power (kW/min ⁻¹)	3.4 / 3,600
Drive	Hydrostatic
Speed (km/h)	0 - 6
Deck material	Alloy with steel deck liner
Start	Easy pull
Height adjustment	Lever height adjustment
Handle	Handle strengthened, folding bolted
Grass bag (approx.)	75 ltr
Mulch kit	Optional - 71902-218
Deflector	Optional rear - 71901-924
Wheels (f/r)	230 mm / 230 mm
Cutting height	22-84 mm
Weight (approx.)	68 kg
Vib. value body	2.4 m/s ²

Mulch kit and deflector available as accessories (71902-218 and 71901-924)